

Q1 - My child's surgery was performed at age:




Field	Min	Max	Mean	Standard Deviation	Variance	Responses
My child's surgery was performed at age:	3	5	4	1	1	7

Field	Choice Count
10 or under	0
11-13	0
14-16	4
17-18	2
19+	1
Total	7




Q2 - My child is:



Field	Min	Max	Mean	Standard Deviation	Variance	Responses
My child is: - Selected Choice	1	2	1	0	0	7

Field	Choice Count
Male	5
Female	2
Prefer not to say	0
Other	0
Total	7

### Q3 - How long do you feel your child needed your assistance during recovery?



Field	Min	Max	Mean	Standard Deviation	Variance	Responses
How long do you feel your child needed your assistance during recovery? - Selected Choice	1	7	2	2	4	7

Field	Choice Count
1-2 months	4
3-4 months	2
5-6 months	0
7-8 months	0
9-11 months	0
1 year	0
Other	1
Total	7


Other - Text

---

Still continue to assist




Q4 - Did your child have the Ravitch or Nuss Procedure to treat Pectus Excavatum?



Field	Min	Max	Mean	Standard Deviation	Variance	Responses
Did your child have the Ravitch or Nuss Procedure to treat Pectus Excavatum? - Selected Choice	1	3	1	1	1	7

Field	Choice Count
Yes	5
No	1
Other	1
Total	7

Q5 - My child played with the following during their recovery (check all that apply):



Field	Choice Count
Analog Games (board games)	4
Cards	2
Computer applications (Powerpoint, Illustrator, editing programs)	2
Computer Gaming	5
Creating physical artwork (sketching, crafts, painting, etc.)	3
Phone apps	7
Puzzles	3
Video Games	4
Other	3
Total	33

Other - Text

Toys, Nerf Dart Gun, Rubiks Cube, Slime, Play Doh, Modeling Clay


lots of net flicks

N/A






Q6 - My child complained about the following during their recovery  
(check all that apply):



Field	Choice Count
Anxiety	2
Boredom	5
Depressed feelings	3
Fear of being bumped into	4
Focusing on homework	0
Lack of physical activity	3
Inability to carry backpack	5
Inability to sleep in a certain position	7
Inability to play sports or physical activities	2
Privacy	3
Sitting	3
Standing	3
Other	0
Total	40

Q7 - Consider how your child moved around the house during their recovery. Which of the following tasks was the most difficult to assist them with?




Field	Min	Max	Mean	Standard Deviation	Variance	Responses
Consider how your child moved around the house during their recovery. Which of the following tasks was the most difficult to assist them with? - Selected Choice	1	8	5	3	6	7

Field	Choice Count
Bathing	2
Getting dressed	0
Pet interaction	0
Sitting down	0
Sleeping arrangements	2
Standing up	1
Transportation	1
Using the toilet	1
Walks	0
Other	0

Total

7

Q8 - Consider how your child moved around the house during their recovery. Which of the following tasks was the second most difficult to assist them with?



Field	Min	Max	Mean	Standard Deviation	Variance	Responses
Consider how your child moved around the house during their recovery. Which of the following tasks was the second most difficult to assist them with? - Selected Choice	1	8	6	2	6	6

Field	Choice Count
Bathing	1
Getting dressed	0
Pet interaction	0
Sitting down	0
Sleeping arrangements	2
Standing up	1
Transportation	0
Using the toilet	2
Walks	0

13


Other

0

Total

6

Q9 - My child had a whistle, bell, or noisemaker to alert when they needed assistance.




Field	Min	Max	Mean	Standard Deviation	Variance	Responses
My child had a whistle, bell, or noisemaker to alert when they needed assistance.	1	2	2	0	0	7

Field	Choice Count
Yes	2
No	5
Total	7



Q10 - My child asked for assistance when he/she could not reach an itch during their recovery.




Field	Min	Max	Mean	Standard Deviation	Variance	Responses
My child asked for assistance when he/she could not reach an itch during their recovery.	1	2	1	0	0	7

Field	Choice Count
Yes	4
No	3
Total	7






Q11 - My child used hardware to assist their movement when standing up or sitting down.



Field	Min	Max	Mean	Standard Deviation	Variance	Responses
My child used hardware to assist their movement when standing up or sitting down.	1	2	2	0	0	7

Field	Choice Count
Yes	3
No	4
Total	7

Q12 - I used at least one pill organizer to keep track of medication during my child's recovery.



Field	Min	Max	Mean	Standard Deviation	Variance	Responses
I used at least one pill organizer to keep track of medication during my child's recovery.	1	2	2	0	0	7

Field	Choice Count
Yes	3
No	4
Total	7



Q13 - My child had enough privacy at home during recovery.




Field	Min	Max	Mean	Standard Deviation	Variance	Responses
My child had enough privacy at home during recovery. - Selected Choice	1	3	1	1	0	7

Field	Choice Count
Yes	6
No	0
Maybe	1
Other	0
Total	7


Q14 - On a scale 1-10, how concerned were you about keeping track of your child's medication during their recovery?



Q15 - On a scale 1-10, how concerned were you about communicating your child's daily pain levels during their recovery?





● Detractor ● Passive ● Promoter



Q15\_NPS\_GROUP - On a scale 1-10, how concerned were you about communicating your child's daily pain levels during their recovery? - Group



Q16 - On a scale 1-10, how concerned were you about your child's daily diet during their recovery?





Q16\_NPS\_GROUP - On a scale 1-10, how concerned were you about your child's daily diet during their recovery? - Group





Q17 - On a scale 1-10, how concerned were you about your child not being in line of sight while you were home during their recovery?



Q17\_NPS\_GROUP - On a scale 1-10, how concerned were you about your child not being in line of sight while you were home during their recovery? - Group



Q18 - What tip would you give to parents who also have a child going through similar surgery recovery?

What tip would you give to parents who also have a child going through similar surgery recovery?

Every child reacts to the surgery differently and has a different level of pain tolerance. We were lucky and didn't have any complications and my daughter has a very high pain tolerance so she didn't use the heavy pain meds for too long once we got home. Again, we were very lucky.

Make sure they are eating within a very healthy diet.

Use recliner Hug pillow if sneezing Hug pillow if throwing up Know meds and pain management ahead of time  
Dose and label small containers for each nighttime medication each night Sleep when you can - this is similar to taking care of a newborn.

We used a video monitor when we couldn't see our son. We rented a hospital bed. It was only \$170 a month and so worth it.



Q19 - Thank you for participating in this survey! If you would like to help more with this project, please leave a good form of contact below. (You will only be contacted about a short survey or phone interview)  
If your child is 18+ and willing to fill out a survey about their recovery process, feel free to leave their information below as well.



Field	Choice Count
Your name and contact info	2
18+ child's name and contact info	2
Total	4

Your name and contact info - Text

Amy Oliva- [markandamyoliva@gmail.com](mailto:markandamyoliva@gmail.com)

Matthew Wheeler [mwheeler@jackrouse.com](mailto:mwheeler@jackrouse.com) 513-235-2505

18+ child's name and contact info - Text

Reagan Griffiths, [rmgriff07@gmail.com](mailto:rmgriff07@gmail.com)

Reid Wheeler 513-872-9373 / Joseph Wheeler 513-384-7399





